

SAFETY ACCESSORIES

633P Helmet



- Standard welding filter lenses
- Flip front lens holder
- Ratchet head gear for comfortable fit
- Adjustable positioning of head gear to ensure proper fit.

1



2



3

Part No.	Description	Pur.	Pk
1	633P Helmet, flip front	1	1
2	AFAL2410 Auto darkening filter 2 x 4.25" shade 3/10	1	1
3	633SB Sweatband	1	1

Digital Welding Helmet



Auto darkening digital welding helmet
4 sensor/solar cell digital helmet.
Down to 2 amps on TIG, with a 1/1/1/1 379
CE Rating. Adjustable ratchet head gear for
comfort and lightweight thermoplastic shell.
Total weight 563 grams.

2

Part No.	Description	Pur.	Pk
1	AH-7780 Auto digital helmet 1/1/1/1	1	1
2	TMOSCP Outside cover plate 138 x 120 mm (pk of 5)	1 PK	5
3	TMISCP7780 Inside cover lens 84 x 99 mm (pk of 5)	1 PK	5

951-P Helmet



- Tough strong thermoplastic
- Light weight & durable
- 100 x 130 mm (3 15/16" x 5 1/8") window - maximum viewing
- Lens shade 5, 9-12 glass & poly carbonate
- Gold lens shade 9-12
- Ratchet head gear
- Meets ANSI Z87-1 standards

1




2



4



5



6

Part No.	Description	Pur.	Pk
1	951-P Helmet wide view	1	1
2	117A Ratchet headgear kit	1	1
3	442E Sweatband vinyl set of 2	1	1
4	444-2 Retaining spring	1	1
<i>Glass Lens</i>			
5	FL459 Shade 9 113 x 131 mm	1	1
	FL4510 Shade 10 113 x 131 mm	1	1
	FL4511 Shade 11 113 x 131 mm	1	1
	FL4512 Shade 12 113 x 131 mm	1	1
<i>Poly carbonate Lens</i>			
5	PFL459 Shade 9 107 x 133 mm	1	1
	PFL4510 Shade 10 107 x 133 mm	1	1
	PFL4511 Shade 11 107 x 133 mm	1	1
	PFL4512 Shade 12 107 x 133 mm	1	1
6	GOLD459 Shade 9 114 x 133 mm	1	1
	GOLD4510 Shade 10 114 x 133 mm	1	1
	GOLD4511 Shade 11 114 x 133 mm	1	1
	GOLD4512 Shade 12 114 x 133 mm	1	1

SAFETY ACCESSORIES

Leather Helmet/Hood



Neck and shoulder gussets.
Cotton mesh lining
Velcro straps and buckle around the head

Part No.	Description	Pur.	Pk
AFLH	Split cowhide leather hood w/ flip front	1	1

Leather Helmet



Features a tough, yet pliable leather covering. Ideal for use in overhead welding applications or when working in tight spaces. Meets ANSI Z87.1 and CSA Compliant


Part No.	Description	Pur.	Pk
860P	Helmet leather lift front 50 x 100 mm (2" x 4")	1	1

Helmet Fasteners



Part No.	Description	Pur.	Pk
WHFR	Welding helmet fasteners round set of 2	1	2

Pancake Weld Hood - Carbon Fibre



Crafted with lightweight carbon fiber, the One Piece Carbon Fiber Pancake Welding Hood weighs in at an average of 10oz, providing durability without compromising mobility. The metal lens spring allows you to adjust the tension based on your lens use. We even include sandpaper for easy molding to your face shape.

Part No.	Description	Pur.	Pk
UNO	Pancake weld hood carbon fibre	1	1

Fume Extractor



- Brush-less DC motor
- Aluminium alloy turbine
- Low noise emission - 55 dB
- 10 speeds
- 3 Layer filter system
- Lockable caster wheels
- Adjustable wind speed
- Exhaust arm has 360 degree adjustment, with removable sections to shorten or extend



Part No.	Description	Pur.	Pk
1	LW1901 Fume extractor	1	1
2	L1001 Cartridge	1	1

SAFETY ACCESSORIES

Clear Safety Lens



CR39 cover lens are highly abrasive/scratch resistant. They can withstand the small hot sparks from welding.

Part No.	Description	Size	Pur.	Pk
CP24	Polycarbonate lens	50 x 108 mm	1	1
CP45	Polycarbonate lens	115 x 130 mm	1	1
CR24	Cover lens cr39	50 x 108 mm	1	1
CR45	Cover lens cr39	114 x 133 mm	1	1

Plastic Magnifying Lens



Poly carbonate for impact protection with focal power. Fits most welding helmets and allows close vision without glasses

Part No.	Description	Size	Pur.	Pk
AFM1.00	1.00 Magnify	50 x 107 mm	1	1
AFM1.25	1.25 Magnify	50 x 107 mm	1	1
AFM1.50	1.50 Magnify	50 x 107 mm	1	1
AFM1.75	1.75 Magnify	50 x 107 mm	1	1
AFM2.00	2.00 Magnify	50 x 107 mm	1	1
AFM2.25	2.25 Magnify	50 x 107 mm	1	1
AFM2.50	2.50 Magnify	50 x 107 mm	1	1


Glass Filter Lens



- Impact resistant
- Filter plates provide reliable protection against UV/IR emissions, heat, sparks and spatter.

Part No.	Description	Size	Pur.	Pk
FL459	Shade 9	113 x 131 mm	1	1
FL4510	Shade 10	113 x 131 mm	1	1
FL4511	Shade 11	113 x 131 mm	1	1
FL4512	Shade 12	113 x 131 mm	1	1

Filter Poly Lens



- Impact resistant
- Filter plates provide reliable protection against UV/IR emissions, heat, sparks and spatter.
- Light weight poly carbonate material

Part No.	Description	Size	Pur.	Pk
1 PFL245	Shade 5	50 x 107 mm	1	1
PFL2412	Shade 12	50 x 107 mm	1	1
2 PFL4511	Shade 11	107 x 133 mm	1	1

Heat Treated Glass Filter Lens



- Impact resistant
- Filter plates provide reliable protection against UV/IR emissions, heat, sparks and spatter.
- Durable, heat resistant material

Part No.	Description	Size	Pur.	Pk
FL249	Shade 9	50 x 108 mm	1	1
FL2410	Shade 10	50 x 108 mm	1	1
FL2411	Shade 11	50 x 108 mm	1	1
FL2412	Shade 12	50 x 108 mm	1	1

SAFETY ACCESSORIES

Penlight



117 blinding bright lumens, and a true penlight size and shape, the new Pelican™ 1975 penlight is the slimmest and brightest safety approved penlight.

Engineered with an aluminum core and ABS over molded plastic, the Pelican™ 1975 penlight can survive tough work environments, yet is slim enough to snap into the available helmet mount or hold with your teeth. The Pelican™ 1975 penlight activates with a click of the tail switch or light pressure for momentary use.

Part No.	Description	Pur.	Pk
1975-2AAA	Penlight 2 x AAA	1	1

Headsup Lite



- 74 lumens of LED light.
- Impact and chemical resistant ABS
- Water resistant for all-weather use.
- IECEx underground mining approved.

Part No.	Description	Pur.	Pk
2690	Headsup Lite	1	1

Flashlight



The hazard horizon is bright., 115 lumens and 75 meters of spot beam distance. Engineered with an aluminum core and ABS over molded plastic, these flashlights are built for rough handling and can survive hard drops. Plus, the sturdy clip attaches to a work vest for fast access and the tail switch activates raw LED power, even when using heavy-duty work gloves.

Part No.	Description	Pur.	Pk
2315-2AA	Flashlight 2 x AA	1	1

Kromer Caps



- All cotton
- Rugged double stitch
- Absorbent
- Cotton sweat band
- Durable
- Hand washable
- Assorted designs

Part No.	Size	Pur.	Pk
KC6-3/4	540 mm	1	1
KC6-7/8	550 mm	1	1
KC7	560 mm	1	1
KC7-1/8	570 mm	1	1
KC7-1/4	580 mm	1	1
KC7-3/8	590 mm	1	1
KC7-1/2	600 mm	1	1
KC7-5/8	610 mm	1	1
KC7-3/4	620 mm	1	1
KC7-7/8	630 mm	1	1

Stealthlite Torch



Popular with firefighters and adventure seekers. The unique easy slide thumb switch on the StealthLite 2400 Flashlight is easy to operate, even with gloves. The tough resin body is corrosion proof and resistant to extreme temperatures. The Xenon lamp has a bright beam that penetrates thick smoke, fog, and dust.

Part No.	Description	Pur.	Pk
2400C	Super stealthlite torch	1	1

Super Sabrelite Torch



Unlike ordinary flashlights that produce a yellow beam, the SabreLite's incredibly bright Xenon lamp produces a powerful collimated white beam. Comes with a polarity battery guard tray that safeguards against dangerous "outgassing" of hydrogen from an accidentally reversed cell.

Part No.	Description	Pur.	Pk
2010	Super sabrelite torch	1	1

Krusher Kromer Caps



- All cotton
- Soft visor - can easily be rolled up and put in your pocket.
- Rugged double stitch
- Absorbent
- Cotton sweat band
- Durable
- Machine washable
- Assorted designs

Part No.	Size	Pur.	Pk
K338-67/8	550 mm	1	1
K338-7	560 mm	1	1
K338-71/8	570 mm	1	1
K338-71/4	580 mm	1	1
K338-73/8	590 mm	1	1
K338-71/2	600 mm	1	1
K338-75/8	610 mm	1	1
K338-73/4	620 mm	1	1
K338-77/8	630 mm	1	1

SAFETY ACCESSORIES

Skull Caps



- One size fits all
- Designed for comfort
- Machine or hand washable

Part No.	Colour	Pur.	Pk
1 SCBLU	Blue	1	1
1 SCYEL	Yellow	1	1
2 AFTH	Tie skull cap	1	1

Gasgrab



Eliminate risk of injury with this simple scissor action Gasgrab. Move gas cylinders simply & safely. Gasgrab is ideal for every industry where gas cylinders are used. All sizes are individually colour coded.

High Pressure Steel Cylinders - GASGRAB colour code reference




Acetylene Cylinders - GASGRAB colour code reference



NOTE: E and D sizes in Instrument / Zero Grade traffic not available in NZ.
G(AUS) = GM(NZ), C(AUS) = A(NZ).

High Pressure Aluminium Cylinders - GASGRAB colour code reference



Part No.	Colour	Size	Pk
GG140	Navy blue	140 mm	1
GG203	Light blue E - E2 steel cylinder	205 mm	1
GG215	Yellow E-F-VT aluminium cylinder	215 mm	1
GG230	Green K-G-G2-G3 steel cylinder	230 mm	1
GG254	Orange G aluminium cylinder	254 mm	1
GG267	Grey	267 mm	1
GG305	Red	305 mm	1
GG320	Beige	320 mm	1

Cylinder Wall Bracket



- Gas cylinder wall bracket for safe, upright storage
- Easy wall mounting
- Includes steel chains to secure the cylinders

Part No.	Colour	Size	Pk
AFCB250	Orange	250 mm	1
AFCB330	Orange	330 mm	1

SAFETY ACCESSORIES

Safety Goggle



Soft flexible goggle surrounds, vented for comfort. Flip front lens holder for shade 5 lens 50 x 106 mm

Part No.	Description	Pur.	Pk
3072-5	Safety goggle	1	1


Cutting Goggle



WS-80 Shade 5 cutting goggles Fixed front and UV protected. 50 x 106 mm

Part No.	Description	Pur.	Pk
JAC3002695	Cutting goggle	1	1

Arm Cooler



- Continuous protection from heat up to 1200°
- Double sided/reversible back arm pad.
- Woven fibreglass cloth coated with aluminized mylar.

Part No.	Description	Pur.	Pk
2000A	Arm cooler heat shield	1	1

Cool Backhand



Designed to be worn over the back of a welding glove to provide extra protection in high heat situations.

Part No.	Description	Pur.	Pk
1	GL777 Cool backhand pad elastic	1	1
2	GL777V Cool backhand pad velcro	1	1

Spectacle Display Stand



- Holds 6 pairs of glasses.
- Lightweight
- Easy to assemble



* Glasses not included

Part No.	Description	Pur.	Pk
IW2137	Spectacle display stand	1	1

Ear Muff



Black earmuff cup with black cup cover, black padded headband and earmuff cushion.

Part No.	Description	Pur.	Pk
IW01	Ear muffs black	1	1

Ear Plugs



- Reuseable
- Class A (L)
- 26 decibel noise reduction rating
- SNR 25
- SLC (80) 21 Class 3



Part No.	Description	Pur.	Pk
67221	Ear plugs reuseable (pk 100)	1 PK	1 PK

Tig Finger



- The Tig finger heat shield lets you prop right next to your weld as it slides along smoothly.
- Made from smooth heat resistant material.
- Assists with Tig welding aluminium castings that get really hot.
- Great for pipe welding with Tig especially small bore stainless steel pipe.



Part No.	Description	Pur.	Pk
TF	Tig finger	1	1
TFXL	Tig finger XL	1	1
AFTF	Tig finger Arcforce	1	1



Welder can slide easily during welding on the material without burning. Made from woven fibreglass cloth coated with aluminized mylar.

Part No.	Description	Pur.	Pk
4000A	Tig finger	1	1

SAFETY ACCESSORIES

Arcforce Cowhide Mig Gloves



- 16" Welder glove
- Tough and durable split cow hide
- Kevlar stitching

Part No.	Description	Size	Pur.	Pk
AF1716L	Cow hide gloves	L	1 DZ	1 DZ
AF1716XL	Cow hide gloves	XL	1 DZ	1 DZ
AF1716XXL	Cow hide gloves	XXL	1 DZ	1 DZ

Arcforce Goatskin Tig Gloves



- Split cow hide cuff
- Maximum softness and feel with hard wearing value.
- Extra pulse protection

Part No.	Description	Size	Pur.	Pk
AFGTIGL	Goat skin gloves	L	1 DZ	1 DZ
AFGTIGXL	Goat skin gloves	XL	1 DZ	1 DZ
AFGTIGXXL	Goat skin gloves	XXL	1 DZ	1 DZ

Flux Cored Mig Gloves



- 16" Welder gloves wing thumb
- Half welts
- Double split leather palm patch & strap back
- Kevlar stitching

Part No.	Description	Size	Pur.	Pk
FC1716L	Flux cored gloves	L	1 DZ	1 DZ
FC1716XL	Flux cored gloves	XL	1 DZ	1 DZ

Arcforce Riggers Gloves



- Split cowhide leather
- Kevlar thread offer greater protection against sparks and abrasion.
- Elastic wrist for snug fit.
- 10" long.

Part No.	Description	Size	Pur.	Pk
AFRGL	Split cowhide gloves	L	1 DZ	1 DZ
AFRGXL	Split cowhide gloves	XL	1 DZ	1 DZ


Welders Mig Gloves



- 16" Pigskin gloves
- Heavy duty for maximum protection

Part No.	Description	Size	Pur.	Pk
P1716	Pigskin gloves	406 mm	1 DZ	1 DZ

Glove Saver



- Aluminium outer on thumb and back hand
- Leather palm

Part No.	Description	Size	Pur.	Pk
GL777SVRL	Glove saver	L	1 DZ	1 DZ
GL777SVRXL	Glove saver	XL	1 DZ	1 DZ

Tigmaster Tig Gloves



The original TIGMASTER pigskin Tig glove

Part No.	Description	Size	Pur.	Pk
P2104	Tig gloves	L	1 DZ	1 DZ
P2104XL	Tig gloves	XL	1 DZ	1 DZ

SAFETY ACCESSORIES

Split Leather Sleeves



Kevlar stitched for maximum strength. Riveted stress points and adjustable wrist "snaps" with metal buckle and leather strap.

1



Made of split cowhide leather
46 cm long
Elastic upper arm and cuff
Sewn with strength and flame retardant Dupont kevlar thread

2



11 oz washable flame retardant cotton

3

Part No.	Description	Pur.	Pk
1 AFSLEEVE	Split leather sleeve (set of 2)	1	1
2 AF9116	Welding sleeve elastic	1	1
3 AF9106	Welding sleeve FR cotton 11oz	1	1

Jacket



- Split cowhide sleeves
- Velcro roll up collar 11 oz FR cotton body with kevlar stitching
- Double front closure with velcro and press studs
- Deep velcro pocket
- Adjustable cuff with press stud



Harness Back

Part No.	Description	Size	Pur.	Pk
AP2630M	Jacket	M	1	1
AP2630L	Jacket	L	1	1
AP2630XL	Jacket	XL	1	1
AP2630XXL	Jacket	XXL	1	1
AP2630XXXL	Jacket	XXXL	1	1
AP2630HBL	Jacket w/ harness back	L	1	1
AP2630HBXL	Jacket w/ harness back	XL	1	1
AP2630HBXXL	Jacket w/ harness back	XXL	1	1

Split Leather Apron



Double kevlar stitching and riveted stress points. Material neck strap for comfort. Metal buckle and leather strap for maximum waist comfort (fit). Reinforced external chest pocket.

Part No.	Description	Size	Pur.	Pk
AFAPRON	Apron	L	1	1
AFAPRONXXL	Apron	XXL	1	1

Split Leather Welding Jacket



- 30" Jacket length, shoulder yoke.
- Kevlar stitched for maximum strength.
- 3 doubled stitched internal pockets and
- 2 doubled stitched external sleeve pockets.
- Covered safety harness attachment point.

Part No.	Description	Size	Pur.	Pk
AFJKTS	Split leather welding jacket	S	1	1
AFJKTM	Split leather welding jacket	M	1	1
AFJKTL	Split leather welding jacket	L	1	1
AFJKTXL	Split leather welding jacket	XL	1	1
AFJKTXXL	Split leather welding jacket	XXL	1	1
AFJKTXXXL	Split leather welding jacket	XXXL	1	1

Premium Leather Welding Jacket



- Double lock stitched with Dupont kevlar thread
- FR cotton collar for extra comfort
- Reinforced double leather front, insulated snaps and velcro closure for safety.
- Pockets inner and outer
- Adjustable cuffs

Part No.	Description	Size	Pur.	Pk
AFPJKL	Premium leather welding jacket	L	1	1
AFPJKXL	Premium leather welding jacket	XL	1	1
AFPJKXXL	Premium leather welding jacket	XXL	1	1

Welding Hoods



Neck and shoulder gussets. Kevlar stitched for maximum strength. Lined head piece with 2 adjustable harness attachment points for greater comfort.

1



11 oz washable flame retardant cotton
Cotton mesh lining
Velcro straps and buckle around the head

2

Part No.	Description	Pur.	Pk
1 AFHOOD	Split leather welding hood	1	1
2 AF6671	Welding hood FR cotton 11oz	1	1

SAFETY ACCESSORIES

Split Leather Spat



- 300 mm ankle length spats with kevlar stitching.
- Rear velcro closure.
- Riveted stress points.
- Leather strap and metal buckle under boot fastening.
- Twin support rib's for greater wear comfort and positioning.

Part No.	Description	Size	Pur.	Pk
AFSPAT	Split leather spat	L	1	1

Leather Spat



- Full Leather Welding Foot Cove.
- Kevlar stitched offer greater protection against sparks and abrasion.
- Flexible metal insert on top which could be shaped to over your shoes.
- Legging 6" height.

Part No.	Description	Size	Pur.	Pk
AP9300	Leather spat	L	1	1

Leather Knee Pads



- Made of cowhide split leather.
- All sewn with Kevlar thread offer greater protection against sparks and abrasion.
- Elastic strap & hook-loop fastener to offer easy & comfort fasten and quickly release.
- Thicken sponge insert.

Part No.	Description	Pur.	Pk
AP6650	Knee Pads	1 PR	1 PR

Knee Pads Ultra Flex



- The articulating hinged design ensures proper placement all day long
- Soft elastic, extra-wide woven straps with reinforced sewn ends are placed well above and below the knee – no Velcro,
- Straps stay aligned with your legs in any position – will not bind behind the knee
- Built with strong, flexible hard plastic outer shells that extend well above, below and to the inside/outside of the knee for added knee and leg protection
- On the outside, pads feature a perfectly placed curved non-marking Grip Strip
- On the inside, pads offer a long lasting 5/8" closed cell foam pad for maximum comfort and protection

Part No.	Description	Pur.	Pk
S96110	Knee pro ultra flex pads	1 PR	1 PR

Miracool Sweatband



Miracool cooling crystals encased within the 100% cotton fabric absorb & hold up to 1000 times their weight in cool refreshing water.

Part No.	Description	Size	Pur.	Pk
MIRACOOL	Sweat / coolit band	22 x 5 cm (8.6" x 2")	1	1

Miracool Towel



- Towel temperature drops 15 to 20 degrees
- Just add water
- Cool and absorbent
- Reusable
- Absorbs up to 12 times it's dry weight

Part No.	Description	Size	Pur.	Pk
931BL	Cooling towel	430 x 685 mm	1	1

Apprentice Kits



- Gaschamp 20" Carrier Bag for all your tools
- Digital Auto Darkening Helmet
- Skull Cap
- Cutting Goggles WS-80
- Spectacles
- Cowhide gloves 16"
- Fillet Gauge
- Single flint lighter
- Wypo tip cleaner
- Chipping hammer with spring handle
- Iron wire brush
- 8 way pliers
- Welding jacket (only available with APKJ package)

Part No.	Description	Pur.	Pk
APK	Apprentice kit	1	1
APKJ	Apprentice kit with jacket	1	1

SAFETY ACCESSORIES

Leather Welding Blankets



- Made from quality leather.
- Kevlar sewn.
- Heat resistant.
- Metal eyelets on outer edges.

Part No.	Description	Size	Pur.	Pk
AP22	Welding blanket	2 x 2 m (6' x 6')	1	1
AP33	Welding blanket	3 x 3 m (9.8' x 9.8')	1	1

Olympus Welding Blanket



Olympus silicate fabrics have a resistance to high temperature loads of 1000°C (peak up to 1300°C). Suitable for use as a welding blanket even under extreme conditions.

Part No.	Description	Size	Pur.	Pk
565095	Welding blanket	2 x 1.8 m (6' x 5.9')	1	1

Welding Blankets



- Non coated 525°C
- 100% Fibreglass
- Metal eyelets on outer edges.
- 30 oz material weight

Part No.	Description	Size	Pur.	Pk
LWB-66	Kevlar stitch blanket	1.72 x 1.72 m (5' 8" x 5' 8")	1	1
LWB-68	Kevlar stitch blanket	1.72 x 2.33 m (5' 8" x 7' 8")	1	1
L08850	Welding blanket	1.82 x 45.72 m (6' x 150')	1	1

Saturn Welding Blanket



Saturn welding blankets have a very high peak temperature (1300°C) & are relatively light weight (420 g/m²).

Part No.	Description	Size	Pur.	Pk
565715	Welding blanket	2 x 2 m (6' x 6')	1	1

Kronos Welding Blankets



Kronos is a Thermo E Glass fabric with a specially formulated grey fire retardant PU coating on one side with aluminium pigments to increase the anti-slip properties & resistance to fraying. The maximum application temperature is 550°C (peak up to 600°C)

Part No.	Description	Size	Pur.	Pk
565062	Welding blanket	2 x 1 m (6' x 3')	1	1
565065	Welding blanket	2 x 2 m (6' x 6')	1	1


Thetis Blanket



Thetis is a Thermo E Glass fabric with a black graphite coating on both sides. The maximum application temperature is 700°C. (Peak up to 900°C)

Part No.	Description	Size	Pur.	Pk
565308	Welding blanket	1 x 25 m (3' x 82')	1	1
565382	Welding blanket	2 x 1 m (6' x 3')	1	1
565385	Welding blanket	2 x 2 m (6' x 6')	1	1

Insulation Blanket



- Controlled cooling of hot objects
- Prevention of injuries due to contact with hot objects
- Made from high-quality materials

Part No.	Size	Pur.	Pk
57502310	1 m x 2 m x 30 mm	1	1
57502320	2 m x 2 m x 30 mm	1	1

SAFETY ACCESSORIES

Welding Curtains




- Fitted with eyelets all around
- Unique snap fastener system on both vertical sides.
- Interconnect the curtains endlessly with this system.

NOTE: These are curtains only. No frame

Part No.	Description	Size	Pur.	Pk
140906	Dark green	1.8 x 1.8 m (5'9" x 5'9")	1	1
141106	UV Pro yellow	1.8 x 1.8 m (5'9" x 5'9")	1	1
141506	Orange	1.8 x 1.8 m (5'9" x 5'9")	1	1
141606	Green/transparent	1.8 x 1.8 m (5'9" x 5'9")	1	1
141706	Bronze	1.8 x 1.8 m (5'9" x 5'9")	1	1

Welding Cushion



1

To protect against injuries through contact with a hot weld and/or for a comfortable working position.

- Temperature rate 550°C



2

Cushion to alleviate aches and pains associated with kneeling, sitting, leaning, and more during long welding runs.

- Split cowhide kneeling pad.
- Heat & flame resistant.



3

Helps to alleviate aches and pains associated with kneeling, sitting, leaning, and more during long welding runs.

- Rayon kneeling pad.
- Heat resistant aluminized layer.
- Sewn with Dupont Kevlar thread.
- 10cm thickness FR sponge insert.



4

- Split cowhide leather
- Handle for convenient carrying
- 5 cm thick flame retardant sponge insert
- Folded size 41 x 25 cm

Part No.	Description	Size	Pur.	Pk
1	57511005	Welding cushion 50 x 50 x 8 cm (19" x 19" x 3")	1	1
2	AP6640	Leather cushion 40 x 40 x 10 cm (15" x 15" x 3.9")	1	1
3	AP6641	Rayon cushion 40 x 40 x 10 cm (15" x 15" x 3.9")	1	1
4	AP6642	Leather welding mat foldable 41 x 50 cm (16" x 19")	1	1

Welding Screens



1

- The Gazelle is designed for use in work-places, or on site.
- The frame is produced from galvanised pipe, and weighs approximately 6 kgs, for easy transportation.
- The Gazelle screen is provided with a curtain height of 1700 mm.



2

- Durable black powder-coated steel round tube frame
- Snap-fit design for quick and easy assembly without tools
- Stable platform legs with wheels to move easily
- 16 mil transparent vinyl screen offers protection from sparks

Part No.	Description	Size	Pur.	Pk	
1	363925	Orange screen w/ frame	1.8 x 1.8 m (6' x 6')	1	1
	363926	Green screen w/ frame	1.8 x 1.8 m (6' x 6')	1	1
	13150420	Orange replacement screen	1.8 x 1.7 m (6' x 5'8")	1	1
2	AFWSG6X6	Green screen Arcforce	1.8 x 1.8 m (6' x 6')	1	1
	AFWSO6X6	Orange screen Arcforce	1.8 x 1.8 m (6' x 6')	1	1

SAFETY ACCESSORIES

Welding Tents



Designed for outdoor work, providing full protection of the welding process to the elements and allow for welding in all weather conditions.

Welding tents can be used for pipeline welding, oil and gas, mine sites, on-site welding and repairs, and electrical servicing.

Cepro tents can be closed at both the front and back. They are also fitted with a 200 mm wide ground flap. The cover is made from treated reinforced white PVC fabric, with galvanised Ø 25 mm tubed framework. Weight: 590 gm/m²

Part No.	Size	Pur.	Pk
912019	2 x 3 x 2.2 m (6'x 9' x 7') (W x D x H)	1	1

Welding Umbrella



- Steel frame with tilt mechanism
- 350 gr/m² Canvas fabric is water-repellent and flame retardant.
- 220 cm Ø
- 10 ribs, length 110 cm
- Supplied with a windbreaker on the upper side.

1



- Fitted with crank system
- 8 ribs, length 150 cm
- Mast 38 mm Ø
- Mast in 2 parts, total height 220 cm
- Ends of the ribs are fitted with metal caps
- Ground pin included

2

Part No.	Description	Pur.	Pk
1	932120 Cepro welding umbrella	1	1
2	937120 3m (10 ft) Umbrella	1	1

Umbrella



1

The ONLY umbrella to survive 96 kph (60 mph) testing!

- Steel pole with threads to attach extension pole.
- 2.4 m diameter umbrella
- 36 flexible metal rib system



2

The ONLY umbrella to survive 96 kph (60 mph) testing!

- Steel pole with threads to attach extension pole.
- 2.4 m diameter umbrella
- 36 flexible metal rib system
- Flame resistant



3

Tested to withstand up to 64 kph (40 mph) winds.

- Extension pole included
- 3 m diameter umbrella
- Poly storage tube



4

- 50.8 cm - 66 cm Slamma action most in class to drive it through the hard-packed ground
- Industrial epoxy paint & primed after sandblasted
- Internal built hammering action that hammers in & out
- Built strong with heavy duty nuts as stoppers
- Bolt-on bottom to adjust height if necessary
- Weight: 7.7 kgs
- Length: 167cm long

Part No.	Description	Pur.	Pk
1	PLU 2.4 m (8 ft) Umbrella	1	1
2	PLUFR 2.4 m (8 ft) Umbrella flame resistant	1	1
3	PLUK10 3 m (10 ft) Umbrella Khaki	1	1
4	PLSJR Slam pole red	1	1